



TABLE OF CONTENTS

About us

Indian Porcelain

European Porcelain (Love Tiles)

European Porcelain (Magres)

Indian Sandstone

Indian Limestone

Granite Paving

Egyptian Limestone

Laying Guides

Contact details







About us

Campbells Build & Pave has been helping builders, landscapers, and the trade get the job done for over 50 years. Starting with just one lorry, our family business has grown over three generations, but the focus has always been the same: supplying the right materials, when they're needed, to keep projects moving.

From the basics to the finishing touches, we keep it all in stock. Our range includes granite, natural stone, cobbles, and decorative stone, alongside sand, gravel, cement, and all the other essentials for building and landscaping projects. Whether it's a patio, driveway, or a large-scale commercial job, we have the products and experience to support every project.

We also specialise in porcelain patio tiles, importing directly to bring the latest styles to the trade at competitive prices. Whether it's a few packs or a full lorry load, deliveries are available nationwide, ensuring materials reach the site exactly when they're needed.

As a proud third-generation, family-run business, we continue a legacy of service and reliability for customers across Ireland and are always welcoming new customers.

Campbells Build & Pave – Your Premium Building, Landscaping & Paving Supplies - All in One Place.



INDIAN PORCELAIN

Versatile - Durable - Low-Maintenance

Our Indian Porcelain Paving range offers a dependable solution for modern outdoor spaces. Each slab is manufactured with precision to deliver strength, consistency, and visual appeal across a variety of projects.

This nonporous collection is resistant to stains, frost, and weathering. It combines practicality with contemporary style, making it a smart choice for residential schemes and commercial developments.

Key Features


- R11 Slip Resistance Suitable for all outdoor areas
- Extensive Range of Colours & Designs Choose from stone, wood, concrete, and textured finishes to suit any project
- Hardwearing & Fade-Resistant Ensures long-lasting beauty with minimal upkeep


Comprehensive Size Options:

Tile Thickness: 20mm

Tile Sizes: 900x600, 600x600
Bull-Nosed Steps: 900x295
Wood-Effect Planks: 1200x300
Cobbles: 100x100 and 100x200
















































900x295 80 pcs 20mm



EUROPEAN PORCELAIN

Mediterranean - Modern - Stylish.

Our European Porcelain Paving range, featuring exclusive collections from Love Tile and a select line from Magres, brings a distinctly Mediterranean flair to outdoor living. This collection combines European design excellence with long-lasting durability.

Crafted specifically for external use, these slabs offer:


- Slip Resistance (R10–R12) Safe for patios, terraces, pathways, and poolside areas.
- 20mm Outdoor-Grade Thickness Built to withstand heavy use and changing weather conditions.
- A Trend-Led Palette Choose from stone, concrete, and contemporary textured finishes that elevate modern landscaping.
- Flexible Sizing Available in 600×900mm, 600×600mm, and 800×800mm, making them adaptable to a wide range of design schemes.


Exclusively available in Ireland through Wholesale Paving Ireland, this range is perfect for those seeking a stylish, contemporary alternative to natural stone, blending European elegance with practical outdoor performance.














Legacy Tortora Legacy Grey **Legacy White**



Ground Cream Ground Tortora Ground Light Grey Ground Grey











EUROPEAN PORCELAIN

Technical · Durable · Refined

Engineered for demanding, high-traffic environments, Margres premium technical porcelain combines outstanding strength with contemporary European design. Manufactured using advanced technology, these slabs are built for longevity, consistency, and exceptional performance in all outdoor settings.

- Slip Resistance (R10–R12) Safe and reliable across patios, pathways, and commercial areas.
- **Unmatched Durability** Resistant to heavy use, frost, and challenging weather conditions.
- **Design Versatility** Available in modern finishes and elegant wood-effect planks (1200×400mm).

Trusted by architects, landscapers, and contractors, the Margres collection delivers the perfect balance of technical excellence and refined aesthetics—making it a smart choice for both residential and commercial projects.











INDIAN SANDSTONE

Natural · Versatile · Timeless

Our Indian Sandstone paving is one of the most popular choices for outdoor landscaping, prized for its natural beauty, strength, and versatility.

Each slab is carefully crafted in:

• Hand-Cut, Riven Form – a naturally textured surface with hand-finished edges, perfect for a rustic and traditional look.

Colour Palette

Available in a rich selection of tones including Raj Green, Kandla Grey, Fossil Mint, and more. Each stone displays unique variations and character.


Durability & Performance

Naturally durable and weather-resistant, sandstone not only withstands the elements but also develops character over time. Its consistent 22mm calibrated thickness ensures ease of installation and reliable performance across both residential and commercial projects.



















Fossil Buff 100x200

Size	Thickness	Quantity	M2
100x200	40/60mm	450 pcs	9m2



INDIAN LIMESTONE

Elegant · Refined · Enduring

Our Limestone paving is a perfect choice for modern, minimalist, and design-led landscapes. Combining natural strength with timeless style, it performs exceptionally well in both residential gardens and commercial spaces.

Colour Palette

Choose from elegant shades such as Kota Blue, Kota Brown, Jura Beige, and Midnight Black—each offering consistency with subtle natural variation.

Formats

A versatile range including patio packs, single-size slabs, steps, copings, and bespoke options, giving designers and landscapers complete flexibility.

A truly timeless paving choice, limestone combines understated elegance with the strength and durability to stand the test of time.



















GRANITE PAVING

Strong · Refined · Long-Lasting

Our premium granite paving is valued for its exceptional strength, durability, and timeless style, making it the ideal choice for patios, pathways, and a wide range of outdoor landscapes. With its dense structure and refined finish, granite delivers both practical performance and sophisticated elegance that will last for years to come.

Colour Palette

- Astro Black bold, modern, and striking
- Silver Grey classic, versatile, and understated

Formats & Sizes*

Paving


600x600 sawn edges, flamed 900x600 - Sawn edges, flamed

Cobbles


200x100x40mm - flamed, sawn edges 200x100x50mm - natural, hand-cut edge & tumbled 200x100x50mm - flamed, sawn edge and tumbled


Versatile · Durable · Low-Maintenance

*more sizes available - contact us for details













Warm · Elegant · Timeless

Our Sinai Beige Egyptian Limestone is valued for its soft creamy-beige tones, subtle veining, and occasional fossil details, bringing a natural elegance to any outdoor space. Available in honed smooth or tumbled finishes, it offers versatility for both classic and contemporary landscapes.

Naturally durable and weather-resistant, this limestone is a refined paving choice that combines beauty with lasting performance.







Sinai Pearl 900x600

Size	Thickness	Quantity	М2
900x600	22mm	34	18.36m2

Sinai Pearl PP18

Size	Thickness	Quantity	M2
900x600	20mm	17	
600x600	20mm	17	
600x290	20mm	16	19.44m2
290x290	20mm	14	

LAYING GUIDES

OUTDOOR PORCELAIN 20MM

Surface Preparation

•Ensureasolid, well-compacted sub-base using MOT Type 1 or equivalent.

Fixing on Mortar Bed

- Minimum 40mm thick for themortar bed for the porcelain to be laid on.
- Lay slabs on a full bed of external-grade cement mortar.
- To be laid on a full bed of Mortar Mix at a minimum of 40mm thick
- Prime the back of each slab with an SBR slurry primer for improved adhesion.
- Pedestal System: For raised installations, use adjustable supports or pedestals.

Jointing

•Useanoutdoor-specific flexible jointing compound (e.g., resin-based) to fill joints.

Cutting

•Cutwithaporcelain-rated diamond blade on a wet tile saw or angle grinder.

Maintenance

- Sweep regularlytoprevent build-up of debris.
- Power wash occasionally to maintain appearance.



LAYING GUIDES

NATURAL STONE

Surface Preparation

- Excavate areaandcompacta 100-150mm MOT Type 1 sub-base.
- Maintain proper drainage with a fall of 1:60-1:80.

Installation

- Lay slabs on a full mortar bed (5:1 sharp sand to cement).
- Prime the back of each slab with an SBR slurry primer for strong adhesion.
- Level slabs by tapping gently with a rubber mallet.

Jointing

- Use a flexible, breathable jointing compound or a traditional sand/cement mortar.
- Allow bedding mortar to partially cure before pointing.

Sealing (Optional but Recommended)

- Applyabreathable, impregnating stone sealeroncethestone is clean and dry.
- For heavy-use or exposed areas, reseal annually.

Maintenance

- Clean usingapH-neutral cleaner; avoid acid-based products.
- Sweep regularly to maintain appearance and prevent build-up.



